




Slite Tech Instruments



**MEISSEL, HOHLMEISSEL &
KNOCHENKÜRETEN**

KATALOG



SLITE TECH INSTRUMENTS GERMANY

TABLE OF CONTENT

01 Chisels & Gouges 03-07

02 Chisels & Gouges With Ferozell-Handel 08

03 Osteatomes, Chisels, Gouges 09-16

04 Bone Curettes 17-20



CHISELS & GOUGES

KC



13,5cm

KC.050.08 = 8mm
KC.050.10 = 10mm
KC.050.12 = 12mm
KC.050.14 = 14mm
KC.050.16 = 16mm



13,5cm

KC.051.08 = 8mm
KC.051.10 = 10mm
KC.051.12 = 12mm
KC.051.14 = 14mm
KC.051.16 = 16mm



13,5cm

KC.052.08 = 8mm
KC.052.10 = 10mm
KC.052.12 = 12mm
KC.052.14 = 14mm
KC.052.16 = 16mm

Partsch



13,5cm

KC.060.02 = 2mm
KC.060.03 = 3mm
KC.060.04 = 4mm
KC.060.05 = 5mm
KC.060.06 = 6mm

17cm

KC.060.02 = 2mm
KC.060.03 = 3mm
KC.060.04 = 4mm
KC.060.05 = 5mm
KC.060.06 = 6mm



13,5cm

KC.062.02 = 2mm
KC.062.03 = 3mm
KC.062.04 = 4mm
KC.062.05 = 5mm
KC.062.06 = 6mm

17cm

KC.063.02 = 2mm
KC.063.03 = 3mm
KC.063.04 = 4mm
KC.063.05 = 5mm
KC.063.06 = 6mm



CHISELS & GOUGES

KC

Andere Modelle auf Anfrage
Other patterns on request
Otros modelos sobre demanda
Autres modèles sur demande




Mini Lambotte - 12,5cm

Article No.	Size
KC.100.03	3,0mm
KC.100.04	4,0mm
KC.100.05	5,0mm
KC.100.06	6,0mm
KC.100.10	10,0cm
KC.100.12	12,0mm
KC.100.15	15,0mm



Lambotte - 24,0cm

Article No.	Size
KC.102.04	4,0mm
KC.102.06	6,0mm
KC.102.08	8,0mm
KC.102.10	10,0mm
KC.102.13	13,0mm
KC.102.15	15,0mm
KC.102.18	18,0cm
KC.102.20	20,0mm
KC.102.25	25,0mm
KC.102.30	30,0mm
KC.102.38	38,0mm
KC.102.44	44,0mm
KC.102.50	50,0mm



Lambotte - 24,0cm

Article No.	Size
KC.103.08	8,0mm
KC.103.10	10,0mm
KC.103.13	13,0mm
KC.103.15	15,0mm
KC.103.18	18,0cm
KC.103.20	20,0mm
KC.103.25	25,0mm
KC.103.30	30,0mm
KC.103.38	38,0mm
KC.103.44	44,0mm
KC.103.50	50,0mm



Mini Lambotte - 17,0cm

Article No.	Size
KC.101.03	3,0mm
KC.101.04	4,0mm
KC.101.05	5,0mm
KC.101.06	6,0mm
KC.101.10	10,0cm
KC.101.12	12,0mm
KC.101.15	15,0mm



SLITE TECH INSTRUMENTS GERMANY

CHISELS & GOUGES

KC




18cm
KC.125.00


18cm
KC.125.01



KC.125.90



Osteotom
Gouge
Gubias
Gouges
Osteotomi



Meißel
Chisel
Cinceles
Ciseaux-burins
Scalpelli



SLITE TECH INSTRUMENTS GERMANY

CHISELS & GOUGES

KC



Smith-Petersen
20cm

6mm
9mm
13mm
14mm
16mm
19mm
25mm
32mm

KC.220.06
KC.220.09
KC.220.13

KC.220.16
KC.220.19
KC.220.25
KC.220.32



Smith-Petersen
20cm

KC.222.06
KC.222.09
KC.222.13

KC.222.16
KC.222.19
KC.222.25
KC.222.32



Smith-Petersen
20cm

KC.223.09

KC.223.14

KC.223.19
KC.223.25
KC.223.32



Smith-Petersen
20cm

KC.225.09

KC.225.14

KC.225.19
KC.225.25
KC.225.32



SLITE TECH INSTRUMENTS GERMANY

CHISELS & GOUGES

KC



Silver Meissel
gerade
18cm
KC.870.01



Silver Meissel
links gebogen
18cm
KC.870.02



Silver Meissel
rechts gebogen
18cm
KC.870.03



SLITE TECH INSTRUMENTS GERMANY

CHISELS & GOUGES WITH FERROZELL-HANDEL

Lieferbar auch Sonderabmessungen
Also available in special sizes
También obtenible en tamanos especiales
Aussi livrable en mesures spéciales

KC



Mini-Lexer
18cm

KC.110.04 = 4mm
KC.110.06 = 6mm
KC.110.08 = 8mm
KC.110.10 = 10mm
KC.110.12 = 12mm
KC.110.15 = 15mm



Mini-Lexer
18cm

KC.111.04 = 4mm
KC.111.06 = 6mm
KC.111.08 = 8mm
KC.111.10 = 10mm
KC.111.12 = 12mm
KC.111.15 = 15mm



Mini-Lexer
18cm

KC.112.04 = 4mm
KC.112.06 = 6mm
KC.112.08 = 8mm
KC.112.10 = 10mm
KC.112.12 = 12mm
KC.112.15 = 15mm



SLITE TECH INSTRUMENTS GERMANY

OSTEATOMES, CHISELS, GOUGES

KC

Lieferbar auch Sonderabmessungen

Also available in special sizes

También obtenible en tamanos especiales

Aussi livrable en mesures spéciales



Lexen Flachmeissel 22,0cm

Article No.	Size
KC.114.05	5mm
KC.114.07	7mm
KC.114.10	10mm
KC.114.12	12mm
KC.114.15	15mm
KC.114.20	20mm
KC.114.25	25mm
KC.114.30	30mm



Lexen Flachmeissel 22,0cm

Article No.	Size
KC.124.05	5mm
KC.124.07	7mm
KC.124.10	10mm
KC.124.12	12mm
KC.124.15	15mm
KC.124.20	20mm
KC.124.25	25mm
KC.124.30	30mm



Lexen Flachmeissel 22,0cm

Article No.	Size
KC.134.05	5mm
KC.134.07	7mm
KC.134.10	10mm
KC.134.12	12mm
KC.134.15	15mm
KC.134.20	20mm
KC.134.25	25mm
KC.134.30	30mm



SLITE TECH INSTRUMENTS GERMANY

OSTEATOMES, CHISELS, GOUGES

Lieferbar auch Sonderabmessungen
Also available in special sizes
También obtenible en tamanos especiales
Aussi livrable en mesures spéciales

KC



Lexer Hohlmeissel 22,0cm

Article No.	Size
KC.115.05	5mm
KC.115.07	7mm
KC.115.10	10mm
KC.115.15	15mm
KC.115.20	20mm
KC.115.25	25mm
KC.115.30	30mm



Lexer Hohlmeissel 22,0cm

Article No.	Size
KC.125.05	5mm
KC.125.07	7mm
KC.125.10	10mm
KC.125.15	15mm
KC.125.20	20mm
KC.125.25	25mm
KC.125.30	30mm



Lexer Hohlmeissel 22,0cm

Article No.	Size
KC.135.05	5mm
KC.135.07	7mm
KC.135.10	10mm
KC.135.15	15mm
KC.135.20	20mm
KC.135.25	25mm
KC.135.30	30mm



SLITE TECH INSTRUMENTS GERMANY

OSTEATOMES, CHISELS, GOUGES

KC

Lieferbar auch Sonderabmessungen
Also available in special sizes
También obtenible en tamanos especiales
Aussi livrable en mesures spéciales



Lexen Flachmeissel
Osteotom - 32,0cm

Article No.	Size
KC.116.05	5mm
KC.116.07	7mm
KC.116.10	10mm
KC.116.12	12mm
KC.116.15	15mm
KC.116.20	20mm
KC.116.25	25mm
KC.116.30	30mm



Dahmen Flachmeissel - gewinkelt
Osteotom - 32,0cm

Article No.	Size
KC.116.55	5mm
KC.116.57	7mm
KC.116.60	10mm
KC.116.62	12mm
KC.116.65	15mm
KC.116.70	20mm
KC.116.75	25mm
KC.116.80	30mm



Lexen Flachmeissel
Osteotom - 32,0cm

Article No.	Size
KC.146.05	5mm
KC.146.07	7mm
KC.146.10	10mm
KC.146.12	12mm
KC.146.15	15mm
KC.146.20	20mm
KC.146.25	25mm
KC.146.30	30mm



SLITE TECH INSTRUMENTS GERMANY

OSTEATOMES, CHISELS, GOUGES

KC



Lexel Hohlmeissel 32,0cm

Article No.	Size
KC.117.07	7mm
KC.117.10	10mm
KC.117.15	15mm
KC.117.20	20mm
KC.117.25	25mm
KC.117.30	30mm



Schwanenhalsmeissel

Article No.	Size
KC.120.25	30,0cm



Flachmeissel
gebogende Schneidplatte

Article No.	Size
KC.251.16	32,0cm



Schmaler Meissel
gebogen

Article No.	Size
KC.141.09	27,0cm



SLITE TECH INSTRUMENTS GERMANY

OSTEATOMES, CHISELS, GOUGES

KG

Meißel/Chisel/Cinseles/Ciseaux-burins/Scalpelli



Stille
20cm



KC.170.10 = 10mm
KC.170.15 = 15mm
KC.170.20 = 20mm
KC.170.25 = 25mm

Osteotom/Gouge/Gubias/Gouges/Osteotomi



Stille
20cm



KC.171.10 = 10mm
KC.171.15 = 15mm
KC.171.20 = 20mm
KC.171.25 = 25mm



Stille
20cm



KC.172.10 = 10mm
KC.172.15 = 15mm
KC.172.20 = 20mm
KC.172.25 = 25mm



SLITE TECH INSTRUMENTS GERMANY

OSTEATOMES, CHISELS, GOUGES

KC

Meissel zum Freilegen
abgebrochener Schrauben



Lexer
22cm



KC.202.09



Spongiosa Meissel
25cm

5mm
KC.204.05

10mm
KC.204.10

15mm
KC.204.15



Spongiosa Meisse
25cm

5mm
KC.205.05

10mm
KC.205.10

15mm
KC.205.15



SLITE TECH INSTRUMENTS GERMANY

OSTEATOMES, CHISELS, GOUGES

KC



Zielke
23cm
KC.208.55 = 5,5mm
KC.208.90 = 9,0mm



COOB
28cm
KC.210.01



COOB
28cm
KC.210.02



COOB
28cm
KC.210.03




COOB
28cm
KC.210.04



SLITE TECH INSTRUMENTS GERMANY

OSTEATOMES, CHISELS, GOUGES

KC





SLITE TECH INSTRUMENTS GERMANY

BONE CURETTES

KD



Sypert
38cm




Fig. 0000
2,8mm
KD.090.40




Fig. 000
3,6mm
KD.090.30




Fig. 00
5,2mm
KD.090.20




Fig. 3
10mm
KD.090.03



Sypert
38cm




Fig. 0000
2,8mm
KD.091.40




Fig. 000
3,6mm
KD.091.30




Fig. 00
5,2mm
KD.091.20




Fig. 3
10mm
KD.091.03



SLITE TECH INSTRUMENTS GERMANY

BONE CURETTES

KD



Syptert
42cm



Fig. 0000
2,8mm
KD.092.40

Fig. 000
3,6mm
KD.092.30



MEDE Spezial
41cm



Fig. 000
3,6mm
KD.095.30

Fig. 00
4,4mm
KD.095.20

Fig. 0
5,2mm
KD.095.10



MEDE Spezial
41cm



Fig. 000
3,6mm
KD.096.30

Fig. 00
4,4mm
KD.096.20

Fig. 0
5,2mm
KD.096.10



SLITE TECH INSTRUMENTS GERMANY

BONE CURETTES

KD



27cm



Fig.00
4,4mm
KD.102.00



Fig.1
6,8mm
KD.102.01



Fig.2
8,5mm
KD.102.02



Fig.3
8,5mm
KD.102.02



Caspar
22cm



gebogen / curved



Fig.000
3,6mm
KD.103.30



Fig.000
3,6mm
KD.104.30



Fig.00
4,4mm
KD.103.20



Fig.00
4,4mm
KD.104.20



Fig.0
5,2mm
KD.103.10



Fig.0
5,2mm
KD.104.10




SLITE TECH INSTRUMENTS GERMANY

BONE CURETTES


KD






Schede
17cm



Bruns
16,5cm



Volkmann
17cm



Spratt
16cm





KONTAKTIERE JETZT



info@slitetechnstruments.de



+49 162 9224643



slitetechnstruments01@gmail.com



Osterkamp 10 33605,
Bielefeld Germany



www.slitetechnstruments.de